



**NIGERIAN SOCIETY FOR ANIMAL
PRODUCTION (NSAP)**



Proceedings of
40TH

ANNUAL CONFERENCE

“ZARIA 2015”

Theme:

**ENHANCED LIVESTOCK PRODUCTION: A TOOL
FOR ECONOMIC EMPOWERMENT AND IMPROVED
SECURITY IN NIGERIA**



Date:

Sunday 15th - Thursday 19th March, 2015

Venue:

NAPRI/Ahmadu Bello University, Zaria

Edited by: I. A. Adeyinka, M. Kabir, S.B. Abdu, G. I. Erakpotobor,
M.R. Hassan and A. O. Iyiola-Tunji

NIGERIAN SOCIETY FOR ANIMAL PRODUCTION

PROCEEDINGS OF THE 40TH ANNUAL CONFERENCE

EDITED BY

**ADEYINKA I.A., KABIR M., ABDU S.B., ERAKPOTOBOR G.I.,
HASSAN M.R. AND IYIOLA-TUNJI A.O.**

**NATIONAL ANIMAL PRODUCTION RESEARCH
INSTITUTE/AHMADU BELLO UNIVERSITY,
ZARIA, NIGERIA**

ISBN 1596-5570

The Proceedings of the Annual conference of the Nigeria Society for Animal Production presents papers on research works relevant to animal production. Views expressed in the proceedings are not necessarily those of NSAP or the host institution.

Copyright © 2015. Nigerian Society for Animal Production (NSAP)

All rights reserved. No part of this publication may be reproduced, stored in retrieval system or transmitted in any form or by means of electronic, magnetic tape, mechanical photocopying, recording or otherwise without permission in writing from the Nigeria Society for Animal Production.

Proceedings compiled, processed and produced by KBS Computers & Communications Limited, Zaria, Nigeria under the approval of NSAP-Zaria LOC 2015.

Copies of the Proceedings may be purchased or ordered from the National Secretariat, Nigeria Society for Animal Production (NSAP), C/o National Animal Production Research Institute, Shika, Zaria, Nigeria.

6. Welfare Sub-Committee

Chairman	-	Prof. (Mrs.) A. A. Sekoni
Secretary	-	Dr. (Mrs.) N. P. Chiezey
Members:	-	Dr (Mrs) M. Otu
	-	Mrs. E.O. Ubani
	-	Mrs B.O. Okaiyeto
	-	Mr. S.B. Madaki
	-	Mr. M.B. Ahmed
	-	Mr. I. Olowookere
	-	Mr. J. Luka
	-	Dr. K. Ojo
	-	Dr. Mrs. M. Afolayan

SESSION ONE

ANIMAL BREEDING AND GENETICS

S/No	Title of Article	Author (s)	Pages
ABG01	Body mass index (BMI) and production performance of two strains of unselected breeder turkey (<i>Meleagris gallopavo</i>) in Zaria, Nigeria	M. Kabir, H. Habred and I. M. Chana	1-4
ABG02	Estimates of repeatability of litter sizes at birth and weaning in traditionally-managed red Sokoto goats	Fayeye, T. R. and Omolosh, P. O.	5-7
ABG03	Semen characteristics of three genotype of indigenous cocks in the humid environment of Nigeria	Isidahomen, C.E.	8-10
ABG04	On-farm performance characterization of ecotypes of the domestic turkey (<i>Meleagris gallopavo</i>) in Sokoto state	M. Abdulrahman, W. A. Hassan, I.M. Umar, and M. Hussaini	11-13
ABG05	effect of sex on some linear body measurements in west african dwarf goats reared under semi-intensive management system in a tropical environment	P. O. Akporhwarho and Okpara . O.	14-16
ABG06	Multivariate analysis of sexual maturity characteristics of cockerels of bovan nera and isa brown parent stock strains in Ibadan Nigeria	O. M. A. Jesuyon	17-19
ABG07	Genetic parameter estimates for eight week body weight in a foundation stock of male line broiler chickens	Adejoh-ubani, E.O. Nwagu, B.I., Adeyinka, I.A., Orunmuyi, M.O. Abeke, F.O, Sekoni, A.A, Otu, M.O and Akinsola, O.M	20-23
ABG08	Effect of genotype and sex on pre-weaning body weight and carcass traits of pigs	Adeoye, A.A, Udoh J.E, Ikeobi, C.N.O, Abiola, S.S and Adebambo, O.A	24-27
ABG09	Relationship between serum alkaline phosphatase and meat quality traits in male and female broiler lines in shika, Nigeria.	Badmus K.A., Adeyinka I.A., Kabir M., Alabi I.I., Muhammad H. and Adeleke R.A	28-31
ABG10	Comparison of proximate composition, internal and external qualities of eggs from four species of poultry marketed in samaru zaria, Nigeria	M. Kabir, U.K. Nkeonye, H.Y. Adamu, U.A. Umar And K.A. Badmus	32-35

ABG11	The use of egg measurement for characterization between local chicken populations	D.S. Gwaza, N.I. Dim and O.M. Momoh	36-38
ABG12	Effect of season on haematological parameters of lambs	Iyiola-tunji, A.O, Akpa, G.N, Nwagu, B.I, Adeyinka, I.A, Ojo, O.A. and Buba, W.	39-41
ABG13	Investigation of some morphometric, haematological and biochemical markers for body weight improvement in marshall strain of broilers	A.A. Musa, A.M. Okpanachi, A.K. Olutunmogun, I.I. Adedibu and A. Oyibo	42-45
ABG14	Estimation of live body weight from chest girth measurement and body condition scores in savannah brown goats in Zaria	M. Hussaini, J. O. Ayo, M. Abdulrahman, M. A. Ibrahim, Z. M. Wunti, I. M. Umar, M. D. Salisu, R. Hassan, M. Abdullahi	46-49
ABG15	Association between some blood biochemical variants with productivity performance in west African dwarf goat	D. M. Ogah and G. T. Ogungbemiro	50-52
ABG16	Microsatellite analysis of west-african dwarf goats in Nigeria: a preliminary investigation	Ojo, O.A., Akpa, G. N., Orunmuyi, M., Adeyinka I.A. Kabir, M.	53-55
ABG17	Haemoglobin polymorphism, inbreeding coefficient and degree of heterozygosity of selected animals in Kogi state university livestock farm	Olorunfemi, S.V., Okekwo, B., Okala, Z.S., Olaniyan, O., Egena, S.S.A., Audu, M., Amana, G.U., Oyibo, A., Dikko, A.H. and Abalaka, E.O	56-59
ABG18	Repeatability and heritability estimates of five rabbit genotypes at various ages	Olupitan E.O., Chineke C.A. and Ajao B.H.	60-63
ABG19	Correlation coefficient on internal egg quality parameters in japanese quails (<i>coturnix coturnix japonica</i>) fed two commercial diets in north east Nigeria	Sule, H.A., Usman, M.I., Baffa, A., and Salim, A	64-67
ABG20	Effect of age and body weight on conformation traits in kano brown does at small holder system.	Suleiman I.O., Babangida I. and Dankoli Z.A	68-70
ABG21	Relationship among live weight and linear dimensions of yankasa sheep in Hadejia livestock market, Jigawa state	A.M. Umar, A. Mohammed, M.S. Tamburawa, S.L. Ibrahim, L. A. Kazaure, S.H. Adamu, Y. Muhammad, L.A. Jinadu and M.G.Hadejia	71-74
ABG22	Effect of some intrinsic factors on gestation length, birth weight and milk yield of friesland x bunaji cows	Zanna., M and Alphonsus C	75-77

SESSION TWO
ANIMAL PHYSIOLOGY

S/No	Title of article	Author (s)	pages
APh01	Effects of melatonin administration on the physical properties of egg shell and internal egg quality in laying hens during the hot-dry season	A. A. Abimbola, V. O. Sinkalu, J. O. Ayo and M. Orunmuyi	78-80
APh02	Effect of ascorbic acid on erythrocyte osmotic fragility of yankasa sheep subjected to 12-hour feed and water deprivation during the hot-dry season	T. Aluwong, J. O. Ayo, O. Abejide	81-84
APh03	Effects of melatonin administration on mortality and economics of broiler chickens exposed to continuous lighting and heat stress	J. O. Ayo and V. O. Sinkalu	85-87
APh04	A morphological observation of the tongue of an adult quwa local domestic duck (<i>Anas platyrhynchos domestica</i>)	A. Bello; J. E. Onu; M. A. Umaru; M.I. Jimoh; O. Olusola	88-91
APh05	Effects of pyridoxine on motility, <i>in vitro</i> capacitation and <i>in vitro</i> acrosome reaction of goat buck spermatozoa during cryopreservation	J.O. Daramola, E.O. Adekunle, O.E. Oke, T.J. Williams, O.S. Iyasere, I. J. James, I.K. Oyewusi, J.A. Oyewusi	92-94
APh06	Diurnal, seasonal and sex influences on heart rates of African giant rats (<i>Cricetomys gambianus</i> , waterhouse) in the northern guinea savannah zone of Nigeria	T. Dzenda, J. O. Ayo, C. A. M. Lakpini and A. B. Adelaiye	95-98
APh07	Effects of short-term physical restraint on rectal temperature and respiratory rate of the African giant rat (<i>Cricetomys gambianus</i> , waterhouse) in Zaria	T. Dzenda and f. M. Per	99-101
APh08	Daily thermoregulatory response of four breeds of non-pregnant cows in Ibadan, Nigeria	Ewuola, E.O., Olorunnisomo, O. O and Oyeniyi, F. G	102-105
APh09	Ameliorative potentials of vitamin e against the impacts of dietary fumonisin b ₁ on growth performance of female rabbits	O. A. Adu and F. A. Gbore	106-109
APh10	Effect of l-carnosine on diurnal variations in physiological parameters of mid-gestation yankasa ewes during the hot-dry season	Yaqub, L.S., Ayo, J.O., Kawu, M.U., Rekwot, P.I., Dzenda, T., Habibu, B. and Adama, I.F.	110-112
APh11	Relationship between body measurements and semen characteristics in Kano brown bucks fed groundnut haulms supplement	A.M. Hassan, G.T. Iyegheerakpotobor and G.N. Akpa	113-117
APh12	Semen characteristics and sperm abnormalities of exotic and indigenous rabbits in the sub-humid tropics of northern Nigeria	E. Jatto, B.O. Omontese, A.B. Adewuyi, M. Shinkut, B. Egbodo, W.O. Echekwu, J.S. Rwuaan and P.I. Rekwot	118-120
APh13	Protective effect of resveratrol co-administration with cholesterol diet on body weight and malondialdehyde concentration in rabbits	A. Jimoh., Y. Tanko, A. Ahmed., A. Mohammed., J. O. Ayo	121-123
APh14	Influence of season on serum profiles of some nutritional metabolites during the oestrus cycle	Kawu, M.U., Lakpini, C.A.M., Ayo, J.O., Fatihu, M.Y., Yaqub, L.S.,	124-127

	in savannah brown goats	Habibu, B., Abdullahi, A., Shittu, M., Aluwong, T. and Ambali, S.F	
APh15	On-board thermal load and the effects of α -tocopherol and ascorbic acid on colonic temperature of transported quails (<i>Coturnix coturnix japonica</i>)	N.S. Minka and J.O. Ayo	128-131
APh16	The use of enthalpy comfort index for assessment of on-board thermal micro-conditions during transportation of pullets	N.S. Minka and J.O. Ayo	132-135
APh17	Oral supplemental vitamin c and three electrolytes effect on carcass characteristics, calcium and phosphorous composition in meat and bone of broiler chicken	Ogunwole, O. A	136-139
APh18	Hematology and serum electrolytes of weaned dairy calves raised in the derived savanna eco-zone of Nigeria	Okin, H.O, Adeloye, A.A., Akinsola, O.M., Jimoh, O.A and Jinadu, L.A	140-143
APh19	Modulatory effect of ascorbic acid on heart rate responses of donkeys to packing during the harmattan season	F. Olaifa, J. O. Ayo, S. F. Ambali and P. I. Rekwot	144-147
APh20	Optimization of induced ovulation and spawning of African clariid catfish, <i>heterobranchus bidorsalis</i> (Geoffroy-saint-Hilaire, 1809) using synthetic hormone	W.a. Olaniyi ^{1*} and o. G. Omitogun	148-152
APh21	Preliminary studies invalidate automated haemo-analyzer results of avian blood	V. O. Sinkalu and j. O. Ayo	153-155
APh22	Effect of season changes on haematologic parameters and erythrocyte osmotic fragility of sahel bucks in a tropical savannah	B. Habibu, M.U. Kawu, H.J. Makun, F. Ibrahim, L.S. Yaqub and A. Abdullahi	156-159

SESSION THREE

ANIMAL HEALTH AND DISEASES

S/No	Title of Article	Author (s)	Pages
AHD01	A study of common quail lice infestation in Sokoto metropolis	Adamu, Y.A., Alayande, M. O., Bello, A., Onu, J. E., Umaru, M. A., Sadiq, Y. A.	160-162
AHD02	The use of embryonated chicken eggs with maternal antibody to newcastle disease virus for the production of la sota strain viral antigen	J. Adamu and s. S. Abah	163-166
AHD03	Double-headed foetal monster associated with dystocia in a yankasa ewe – A case report	A. Yusuf, B.O. Omontese, A.A. Gamawa, J. Mohammed, I.J. Waziri and P.I. Rekwot	167-169
AHD04	Evidence of <i>Brucella</i> antibodies in milk of cows in the north senatorial district of Kaduna state, Nigeria	H.U. Buhari, S.N.A. Saidu, G. Mohammed and M.A. Raji	170-172
AHD05	Concurrent infections of ehrlichiosis and babesiosis in a 4-month-old Alsatian cross dog	A. M. Ehimiyein, S. W. Audu, I. O. Ehimiyein	173-174
AHD06	A suspected case of “lumpy jaw” in a 5 year old Bunaji–Simmental cross bull	Gumel, M.A., Aliyu, H. and Abunabo, M.M	175-177
AHD07	Dry season survey on abundance and distribution of ixodid ticks in cattle in auyo	Gumel, M.A., Inuwa, S., Qadeer, m.a. and Abdurrahman, S.L	178-180

	local government area of Jigawa State, Nigeria		
AHD08	Parturient paresis (milk fever): a potential threat to successful milk production-a review	Okin, H.O and Daudu, O.M	181-183
AHD09	Relevance of <i>Amblyomma variegatum</i> infestation in the prevalence of bovine dermatophilosis.	Y.h. Owolabi, I.J. James and K.H.Yusuf	184-186
AHD10	Comparative sensitivity of faecal and bile samples in the diagnosis of liver fluke infection in sheep and goats in Zaria, Nigeria	Yusuf, K.H., Ajanusi, O.J., Aluko, O.M., Jatau, I.D. and Owolabi, Y.H	187-189
AHD11	Studies on the curative and prophylactic concentrations of isometamidium chloride in the treatment of experimental <i>Trypanosoma congolense</i> infection in red Sokoto bucks	G.M. Aminu, S.O.Okaiyeto and I.A Lawal	190-193

SESSION FOUR

ANIMAL PRODUCTS AND PROCESSING

S/No	Title of Article	Author (s)	Pages
APP01	Chilling at different time intervals; the influence on physicochemical characteristics of beef	Apata, E.S. Eniolorunda, O.O.Kokumo, O.E and Apata, O.C	194-196
APP02	Microbial assessment of bulk milk before and after pasteurization in commercial and sedentary fulani farms in Sabon Gari Local Government area, Zaria Kaduna state	F.A. Audu, k.m. Lawan, T.K. Bello, B.B. Oyelowo F.U. Samuel, F.S. Maikaji, R. Hassan, B.E. Egbodo, M.D. Salisu	197-198
APP03	Appraisal of abattoir operations, waste generation and management at lafenwa abattoir	T.K. Bello, B.B. Oyelowo, N.P. Chiezey, F.U. Samuel, A.B. Adewuyi, F.S. Maikaji, R. Hassan, B.E. Egbodo, M.A. Ibrahim, N.H. Moru	199-201
APP04	Antioxidant and antimicrobial activities of African nutmeg, pepper and black pepper extract on the quality and shelf-life of chicken nuggets	M. H. Haruna, O. O. Olusola, T. S. Olugbemi	202-204
APP05	Effect of cooking methods on palatability traits and chemical composition of broiler meat	Okoh, P.I., Ehebha, E.T.E. and Obasoyo, D.O	205-207
APP06	A survey on acceptability of goat's milk in ogbomoso and its environs	Oladepo, O., Amao O.A. Adams, T.O., Adebisi, I.A.Fatola, O.S.G. and Mustapha, T.B.	208-210
APP07	Effect of two cooking methods and temperature on oxidation and microbiological properties of breakfast sausage	Olusola, O.O, Oshibanjo D.O, Oladipupo, C.O and Aremu, R.O	211-214
APP08	Effect of soiling length on the physico-chemical qualities of backyard poultry table eggs	M. I. Ribah, J. Oladosu, M. A. Muftau, Y.D.R. Anlade and S. Bello	215-218
APP09	Microbiological quality assessment of commercially prepared yoghurt retailed in Sokoto state, northwestern Nigeria	M.D. Salisu, A.U. Junaidu	219-222
APP10	Consumer preference for yoghurt attributes in Kaduna metropolis	Alli-balogun, J.K., Jibir, M., Shu'aibu, S.A., Salka, N.M. and	223-226

		Olugbemi, T.S	
APP11	Efficacy of water and lactic acid as wash solution in preventing recontamination in refrigerated chicken carcass	K. A. Sanwo, J. O. Olayemi, s. O. Iposu, A.O Atayese, B.O. Shittan and J.A. Adegbite	227-229

SESSION FIVE

LIVESTOCK ECONOMICS AND EXTENSION

S/No	Title of Article	Author (s)	Pages
LEE01	Economic impact of processing pregnant animals under Zaria condition	Duru, S., B.R. Gandhi, G.Y. Benjamin and R.B. Sijuola	230-232
LEE02	Information seeking behaviour of poultry farmers in Zaria and environs	C.C. Ezeh and A. Nalado and O.H. EZeh	233-236
LEE03	Non-governmental organizations (NGOS) in Edo state: implications for agricultural extension delivery.	Igene, C.A	237-239
LEE04	Analysis of the publications of the tropical veterinarian 2008 – 2012	C.E. Okanlawon and S.O. Adewole	240-242
LEE05	The channels of supply of smallholder village poultry flocks in Sokoto state	I.M. Umar., W.A. Hassan., M Abdulrahman., A.U. Umar and M. Hussaini	243-245

SESSION FIVE

MICROLIVESTOCK PRODUCTION, NUTRITION AND MANAGEMENT

S/No	Title of Article	Author (s)	Pages
MIC01	<i>Sapronegnia</i> Fungus Species: A Threat to sustainable fish production in NIGERIA	B.T., Adesina, B.O., Omitoyin, O.A., Adesina, A.O., LADOKUN, F.I., Adeosun J.L., Afolayan, A.A., Adeyemo, W.C., Iwebema, A., Iga, E.O., ONI, and A.O., Adebiji	246-249
MIC02	Physico-Chemical And Organoleptics Properties Of Snail fed sesame (<i>Sesamum indicum</i>) seed meal	Adetola, O.O., Popoola, Y.A., Okere, I.A., Teniola, A.A., Owosibo, O.T. and Omotoso., O.S	250-252
MIC03	Comparative study on the growth of body and testes of catfish (<i>Clarias gariepinus</i>) and tilapia (<i>tilapia niloticus</i>) reared in Sokoto metropolis	J. E. Onu, U. I. Ibrahim and A. Bello	253-254
MIC04	In-vivo determination of no observed adverse effect level and no observed effect level (noael and noel) of fipronil in rats using haematological indices and liver markers	V.U Omoja, T.E Ihedioha, P.E Aba, O.A Agina, E.M.E Ngole	255-257
MIC05	Effect of dietary supplementation of groundnut haulm and cowpea haulm on performance and nutreints digestibility of grower rabbits	M. S. Tamburawa, D. Ma'aruf and A.M. Hassan	258-260
MIC06	Haematological and serum biochemical profile of male rabbits fed dietary cerium oxide	Oyefesi, S. D., Akinmuyisitan, I.W., Adu, O.A	261-264
MIC07	The effect of feeding graded levels of cassava leaf meal on haematology rabbit does in a southern guinea savanna environment of Nigeria.	T. Ahemen, I.I. Bitto, O.I.A. Oluremi and F.O.I. Anugwa	265-268
MIC08	Haematological indices of wistar rats fed	H. O. Amusa and O.A. Abu	269-271

	dehulled african yam bean (<i>sphenostylis stenocarpa</i>) soaked in acidic and alkaline media		
MIC09	Effect of different levels of zinc supplementation on the growth rate of rabbit bucks	O.C Anakebe-ogbu, U.U Herbert and N.O.T Nwanjoku	272-273
MIC10	Growth response of african catfish (<i>clarias gariepinus</i>) fed african star apple kernel diets	Agbabiaka L.A and R.A. Nwankpa	274-277
MIC11	Haematological characteristics of african catfish (<i>Clarias gariepinus</i> burchel, 1822) fed african star apple kernel diets	Agbabiaka L.A	278-281

SESSION SIX

MONOGASTRIC ANIMAL PRODUCTION, NUTRITION AND MANAGEMENT

S/No	Title of article	Author (s)	Pages
MON01	Comparative performance of broiler finisher chickens fed two protein sources	Onimisi, P.A.; Daspan M.A; Gaji, Z.M	282-284
MON02	Performance and nutrient digestibility of weaner rabbits fed diets containing graded levels of shade-dried <i>Leptadenia hastata</i> leaf meal	R.J. Wafar; L.A. Ademu; J.O. Megbuwe; P.E.Ojinnaka and C.U. Idachaba	285-288
MON03	Growth performance of crossbred weaner rabbits fed dehydrated bovine rumen digesta	Udeh, F.U., Ani, A. O., Uzochukwu, I.E. and Onuora, S.I	289-293
MON04	Effect of graded levels of soaked and fermented african locust bean seed meal on the performance and nutrients digestibilities by broiler chickens at starter phase	M. S. Tamburawa, S. O. Ogundipe, T.S.B. Tegbe and T.S. Olugbemi	294-297
MON05	The effect of production period on the internal egg quality traits in japanese quails (<i>Coturnix coturnix japonica</i>) fed two commercial broiler diets	Sule, H.A., Zahraddeen, D., Mancha, Y. P. and Usman, M.I	298-300
MON06	Nutritive value and economic benefit of boiled velvet beans (<i>Mucuna utilis</i>) in rabbits diet	Shaahu, D.T., Tuleun, C.D., Gbue, F.H. and Shittu, H.A	301-304
MON07	Haematological indices of broiler chickens fed graded levels of toasted african yam bean (<i>Sphenostylis stenocarpa</i>) seeds meal supplemented with enzyme	M.O Raji, Ogunjimi J.T, Akinosun A.A, Oladepo, Oloko, A.B and Ogunbode A.A	305-307
MON08	Effect of raw, fermented and hot water treated cocoa pod husk meal based diets on the reproductive tract morphometry of rabbit bucks	P.O. Ozung, O.O. K. Oko and E. A. Agiang	308-311
MON09	The pigeon pea (<i>Cajanus cajan</i> (L.) Millsp), an alternative energy and protein source for poultry feeding	A. G. Yisa, J. A. Edache, Jabil, I. Y. and O. D. Olaiya	312-315
MON10	Evaluation of varying levels of sesame seed meal (<i>Sesamum indicum</i>) In the diet of weaned rabbits	Omole, A.J., Obi, O.O., Adetola, O.O., Teniola, A.A. Owosibo, o.t	316-318
MON11	Effect of black tea extract on the growth parameters of broiler chickens	Muftau M.A., A.O, Suleiman, H. M, Yahaya., Y.D. R., Anlade, and D. Y, Dalhatu	319-321
MON12	Haematological parameters of broiler birds fed	O. Olukotun; V.O. Morgan; B.F.	322-325

	graded levels of moringa (<i>Moringa oleifera</i>) leaf meal	Ishola and O.D. Odidi	
MON13	Effect of feeding whole or ground pearl millet (<i>Pennisetum glaucum</i>) with or without enzyme supplementation on the nutrients' digestibility of japanese quails (<i>Coturnix coturnix japonica</i>)	M. N. Sabo, S. Duru and S. B. Afolayan	326-329
MON14	Influence of black pepper (<i>Piper nigrum</i>) as growth promoter on performance of starter broiler chicks	E.K. Ndelekwute, H.O. Uzegbu, E.D. Assam and U.E. Udorok	330-332
MON15	Comparative effects of dietary <i>Ocimum gratissimum</i> and antibiotic growth promoter on growth performance of broiler finishers	V.U. Odoemelam, I.C. Unamba-Opara, C.E. Mbagwu and Ekwe, C.C	333-336
MON16	Haematology and serum profile of broiler starter fed graded levels of roasted pride of barbados seedmeal	Ogunbode A.A., Oluokun R.A, Orisaseyi A.O, Adeniyi O.B and Olowe R.A	337-340
MON17	Response of broiler starter chickens fed Kaura based diets supplemented with enzymes	Oladipo M. F; Onimisi P.A and Bawa G.S	341-343
MON18	Growth response and carcass characteristics of broilers fed heat treated jatropa seed cake-based diets	A.F. Agboola, and B.R.O. Omidiwura	344-347
MON19	Effects of feeding varying levels of melon (<i>Citrullus vulgaris</i>) seed husks meal supplemented with maxigrain® on performance of female growing rabbits (<i>Oryctolagus cuniculus</i>)	O. Olukotun; A. Aremu; I.C. Alemede; P.C. Nwachukwu and O.D. Odidi	348-351
MON20	Performance of growing weaner rabbits fed graded levels of sheep manure based diets	G.s. Bawa, M.R. Hassan S.B. Abdu and B.I. Tahir	352-355
MON21	Effect of graded levels of mango seed kernel (kanbiri) based diets on carcass characteristics of broiler finisher chickens	I. Abdullahi, C.U. Idachaba, T.S.B. Tegbe, L.M. Abbas and K.U. Anoh	356-359
MON22	Performance of broiler finisher chickens fed varied levels of local variety (kanbiri) mango seed kernel meal as replacement for maize	I. Abdullahi, C.U. Idachaba, L.M. Abbas and K.U. Anoh	360-362
MON23	Effect of feeding whole millet on the performance of egg production of layer birds	M.L. Abubakar	363-365
MON24	Performance of japanese quail birds (<i>Coturnix coturnix</i>) fed on whole or ground millet with or without enzyme inclusion	S. B Afolayan, A. Sekoni, J. O. Jegede and M. Afolayan	366-370
MON25	Effect of feeding graded levels of cashew nut (<i>Anacardium occidentale</i>) meal to quails (<i>Coturnix coturnix japonica</i>) as a source of protein	Bot, M.H., Tiffi, A.B., Olaiya, O.D. and Tok, C.C	371-374
MON26	Nutrient intake and digestibility of weaner rabbits fed yam peels replacing maize at different levels	Y. Garba and K.A. Muhammad	375-378
MON27	Evaluation of eviscerated body characteristics of broiler finisher chickens fed high fibre diets supplemented with insoluble grit (granite)	C.U. Idachaba, F.O. Abeke, T.S. Olugbemi and I. Abdullahi	379-382
MON28	Effect of antibiotics (tetracycline) inclusion on growth performance of broiler starter birds	S.O. Ereke, A.U. Okorie, G.T.I. Erakpotobor, J.T. Amodu, F.U. Samuel, R. Alao, M. Abdulrahman	383-385
MON29	Nutritional evaluation of differently processed	Izukanne, R.O. Esonu, B.O.,	386-388

	piper (<i>Canavalia plagioperma</i>) seedmeal (CPSM) in starter broiler diet	Udedibie, A.B.I and Okeudo, N.J	
MON30	Effects of different processing methods of bambaranut (<i>Vigna subterranean</i> (L.) VERDC) on cut parts of broiler chickens	Maidala, A., Doma, U.D. and Egbo, L.M., Mohammed, A. and Kallah, D.J.U	389-392
MON31	Nutritional evaluation of graded levels of cassava peel meal for growing japanese quail (<i>Coturnix coturnix japonica</i>)	J.A. Edache, C.D. Tuleun, , A.G. Yisa, U.R. Muduudtai, E.J. Okpala and P. D. Dabi	393-395
MON32	Morphological and production characteristics of helmeted guinea fowl (<i>Numida meleagris</i>) in Nigeria: a review	N. M Galadima, I.O Suleiman, I. Tahir and Z.A Dankoli	396-398
MON33	Performance and economics of production of broiler chicks fed diets with varying energy levels	O.F. Akinmoladun; G.E. Onibi and A.T. Lomuwagun	399-402
MON34	Growth performance and cost benefits of feeding growing pigs with cassava peel meal-based diets supplemented with a commercial enzyme	O.M. Adeyemi, O.T. Irekhore, O.M. O. Idowu, O.S. Akinola and K.O. Bello	403-406
MON35	The effects of varying levels of dietary salt on performance and faecal parameters of late production layers	S. O. Aro, E. P. Owokotomo and A. D. Adebayo	407-410
MON36	Responses of weaned rabbits to diets containing sun-dried soyabean cheese residue meal	A.S. Muhammad, Y.U. Bappah, L. A. Saulawa, and M. S. Tamburawa	411-413
MON37	Growth performance and economic characteristics of broiler chicken fed diets containing varying levels of cowpea (<i>Vigna unguiculata</i>) milling waste at the starter phase	A. A. Malik, A.T. Ijaiya, R.O. Popoola, R. O. Owolabi, O. S. Okedunwon, O. M. Olalere and A. F. Malik	414-417
MON38	Influence of <i>Moringa oleifera</i> seed meal on male japanese quails	Adedibu I.I, Jimoh M.A, Enesha V, Akinsola O.M	418-420
MON39	Effect of duration of steam-boiled castor bean cake on performance of broiler chickens	E.J. Kpanja, J.J. Omage, G.S. Bawa, I. Abdullahi and C.U. Idachaba	421-424
MON40	Subsequent effect of locust bean pulp fed during the grower phase on the laying performance of pullet (20-42 weeks)	M. Afolayan., G.S. Bawa., A.A. Sekoni., F.O. Abeke. and I.A. Adeyinka	425-427
MON41	Effect of Neem and Moringa leaf meals (used singly and combined) as substitute for antibiotics on the performance of broiler chickens	Makanjuola, b. A., oladele-bukola, m. O., Obi, O. O., Sorunke, A. O. and O.I. OMODEWU	428-430
MON42	Water consumption and faecal physical characteristics in cockerels fed dietary inclusion levels of fermented cassava tuber wastes (FCTW)	S. O. Aro	431-433
MON43	Reproductive performance and husbandry practices of indigenous chickens in delta state, Nigeria	J. I Kperegbeyi and A.M. Orheruata	434-437
MON44	Effects of varying calcium/phosphorus ratios on the performance of light breed egg-type chicks in a semi arid environment	S.B. Adamu, G. Mohammed, I.D. Mohammed, J.U. Igebuike and U.M. Kolo	438-440
MON45	Effect of dietary maize substitution with sweet potato meal on performance of layers	S.b. Afolayan, i.i. Dafwang, t.s.b. Tegbe, a.a. Sekoni and j.o.jegede	441-445
MON46	Effects of proprietary feeds and dietary	O.R. Folorunso, G.E., Onibi, and	446-448

	ingredient selection on performance of broiler chickens	A.A., bakre	
MON47	Haematological indices, carcass and organ characteristics of crossbred weaner rabbits fed dehydrated bovine rumen digesta	Ani, A. O., Udeh, F. U., uzochukwu, and Onuora, S.I.	449-453
MON48	Evaluation of broiler chicks fed bitter leaf (<i>Vernonia amygdalina</i>) aqueous extract	V. U. Oleforuh-okoleh, S. O. Olurunleke, and L.C. Obi	454-456

SESSION SEVEN

RUMINANT ANIMAL PRODUCTION, NUTRITION AND MANAGEMENT

S/No	Title of article	Author (s)	Pages
RUM01	Effect of feeding varying levels of jatropha (<i>Jatropha curcas</i>) seed cake on the performance of growing rabbits	Abdu, S.B., Yusuf, M.R., Hassan, M.R., Adamu, H.Y., Yashim, S.M., Abdulrashid, M., Abubakar, M. And Jokthan, G.E	457-459
RUM02	Effects of seed rate and irrigation frequency on growth and forage yield of centro (<i>Centrosema pascuorum</i> mart. Ex benth)	Hassan, M.R., Abdu, S.B., Amodu, J.T., Adamu, H.Y., Abdulrashid, M., Musa, A., Zainab, A. M., Tamburawa, M. S. and Abubakar, S. A	460-463
RUM03	<i>In-vitro</i> evaluation of 4, 6 and 8 week re-growths of vetiver grass (<i>Chrysopogon zizanioides</i> L.roberty).	O.O.Falola., O.Y. Adedeji., A.A. Saka., A.O. Areegbe and A.F, Adisa	464-467
RUM04	Nutrients, anti-nutrients digestibility and nitrogen retention by west african dwarf rams fed <i>Panicum maximum</i> substituted with <i>Gliricidia sepium</i> and <i>Acacia nilotica tomentosa</i>	A.N. Fajemisin, O.B. Omotoso and T.A. Ayelotan	468-471
RUM05	Evaluation of forage resources of the zange grazing reserve	S.S. Mohammed, I.R. Muhammad, M. Baba	472-475
RUM06	Nutrient intake and digestibility in west african dwarf goats fed <i>Persea americana</i> leaves as supplement to <i>Panicum maximum</i>	Fadiyimu, A.A., Fajemisin, A.N. Folorunso, O.R., Adeyeye, S.A. and Sule K	476-479
RUM07	Macro-mineral compositions of panicum (<i>Panicum maximum</i>) intercropped with centro (<i>Centrosema pascuorum</i>) and <i>Clitoria ternatea</i>	T. O. Muraina., J. A. Alalade., I. A. Adebisi., C. B. Emiola., A. B. Oloko., T. B	480-482
RUM08	Correlation coefficient (<i>r</i>) between chemical composition and <i>in vitro</i> gas production and fermentation characteristics of some selected <i>ficus</i> species	A.A. Njidda, I. K. Al-Habib and B Bello	483-487
RUM09	Performance of west African dwarf (wad) goats fed gamba grass (<i>Andropogon gayanus</i>) supplemented with diet containing treated and untreated sweet orange (<i>Citrus sinensis</i>) peels	Oloche, J., Oluremi, O.I.A. And Shaapera, S.S	488-490
RUM10	Constraints of camel (<i>Camelus dromedarius</i>) production in northern KATSINA state, nigeria	Ghude, M. I., Adamu, S. H. and Inuwa, M. S	491-494
RUM11	A survey of seasonal livestock population of zange grazing reserve in gombe state	S.S. Mohammed, I.R.Muhammad, M. Baba	495-497
RUM12	Performance indices of Sokoto gudali cattle fed sawdust as replacement for cassava peels	M.A. Mosobalaje, O.O. Tewe, A.A. Adedoyin, S. Francis, A.B. Oloko ,	498-500

		O.A. Adeniyi, and K.B. Taiwo	
RUM13	Forest tree seeds as alternative feed source for livestock	N.J. Ogundun, A.A. Adeloje. M.B; Yousuf, and G.T. Imram	501-504
RUM14	Nutrient digestibility and intake of west African dwarf goats fed diet containing different levels of sweet orange peels and gamba grass	Oloche, J., Oluremi, O.I.A and Mnguachia, L.J	505-507
RUM15	Nutritional and phytochemical screening of melon (<i>Citrullus vulgaris</i>) seed husks	O. Olukotun; B.F. Ishola; O.D. Odidi and V.O. Morgan	508-510
RUM16	Evaluation of nutritional composition and secondary plant compounds of five plants in Kabba, Kogi state	Olaiya, O., Fajemisin, A.N., Alphonsus, C and Babawale-Olayinka, O.I	511-514
RUM17	Forage yield and quality of warm season annual cereal crops in the northern Alberta of Canada	Akim Tunde Omokanye	515-518
RUM18	Growth performance and linear body measurement of red Sokoto goats fed concentrate partially replaced with <i>Piliostigma thonningii</i> forage	O.A. Olafadehan, S.O. Salihu and G.S. Abubakar	519-522
RUM19	Locational variations of fibre fractions and mineral composition of grasses from natural pasture in south west Nigeria	O. A. Okukenu, A. O. Jolaosho, E. Fabusoro, P. A. Dele, B. T. Akinyemi	523-526
RUM20	Effects of feeding agro-industrial by products based concentrate diets to wad goats using <i>Pennisetum purpureum</i> hay as basal diet	Obe A.A, Omoniyi, L.A, Oguntona E.B, Jolaosho A.O, Arigbede O.M and Onwuka, C.F.I	527-531
RUM21	Effects of different processing methods of raw baobab (<i>Adansonia digitata</i>) seed meal on productive performance of broiler chickens	L. A .Saulawa, S. A. Muhammad , and M .I. Tamburawa	532-535
RUM22	Chemical composition, forage height (FH) and dry matter yield (DMY) of wet season forages in north eastern Nigeria	B. Yahaya, A.M. Hayatudden and A. Kibon	536-538
RUM23	Evaluation of raw or parboiled rice offal as energy source for fattening bunaji bulls	R.T. Sani, O.S. Lamidi and G.E. Jokhtan	539-541
RUM24	Effect of inclusion of haulm of different groundnut (<i>Arachis hypogaea</i>) varieties on intake, nutrient digestibility and nitrogen balance in yankasa rams	H.Y. Adamu, D.D. Dung O.S. Lamidi, S.B. Abdu, M.R Hassan, M. Kabir and A. Lawal	542-544
RUM25	Gas production, methane and fermentation kinetics of <i>Panicum maximum</i> incubated with coconut-oil	O. O. Adelusi, C. F. I. Onwuka, A. O. Oni, O. M. Arigbede and P. A. Dele	545-548
RUM26	Growth and faecal egg count response of sheep grazing natural pasture to cassava leaves and peels supplementation	Fasae O.A. and Owodunni A	549-552
RUM27	Tethering - feeding system: the effect on performance of west African dwarf goats	Eniolorunda, O. O; Apata, E. S; Rabi, K.A and Oyesiji, J	553-555
RUM28	Nutrient digestibility and mineral utilization of west African dwarf (wad) weaner goats fed mixture of <i>Gmelina arborea</i> leaves and <i>Panicum maximum</i>	I. A. Adebisi, A. B. Ajibike, O.Oladepo, T. O. Muraina, H. O. Amusa, J. A. Alalade	556-558
RUM29	Nutritional quality of pearl millet silage fortified with graded levels of lablab forage	M. Y. Ahmad, S. L. Abdurrahman and I. R. Muhammad	559-562
RUM30	Intake and digestibility of N'dama cattle fed concentrate diets containing varying levels of	Ajayi, F.T	563-565

	corn cob		
RUM31	Chemical composition of acid and alkaline soaked dehulled african yam bean seeds (<i>Sphenostylis stenocarpa</i>) seeds	H. O. Amusa, T. A Oseni, S. D Ogungbenro, A. B' Ajibike, A. D Folorunso and O. A. Abu	566-568
RUM32	Effects of malted sorghum sprout with enzyme supplementation on performance characteristics, rumen fluid parameters and microbial counts of west African dwarf goats	A.O. Areegbe' C.F.I Onwuka F.T Ajayi, A.O. Oni, O.O. Falola, M.O Oladele-bukola and A.A Saka	569-572

OTHERS

S/No	Title of article	Author (s)	Pages
1	Histopathological Studies on the Effects of the Bovine Blood-Rumen Content Mixture on Selected Organs of Growing Rabbits	Mohammed, G., Raji, A. O., Asheikh, L. G., Adamu S. B. and Igwebuike. J. U.	573-577
2	Phenotypic correlations between egg quality traits of the japanese quail in a semi-arid area of Nigeria	Abdulraheem, A.O., Raji, A.O. and Alade, N.K.	578-582
3	Occurrence of subclinical <i>Eimeria</i> infection in commercial poultry farms in Kaduna, state Nigeria	Jatau, I.D., Lawal, A.I., Kwaga, J.K.P. and Nok, A.J	583-585
4	Effect of season, sex, age and breed on the prevalence of bovine anaplasmosis in Sokoto metropolis	M. Abdullahi, M. Hussaini, M.D Salisu, M.A. Ibrahim, Z.M. Wunti, A.A. Mohammed	586-588
5	Performance of yankasa sheep fed <i>Panicum maximum</i> substituted with varying levels of <i>Gmelina arborea</i> forage	A.N Fajemisin, T. Adaramewa and M.K. Ogungbesan	589-592
6	Nutrients, anti-nutrients digestibility and nitrogen retention by west African dwarf rams fed <i>Panicum maximum</i> substituted with <i>Gliricidia sepium</i> and <i>Acacia nilotica tomentosa</i>	A.N. Fajemisin, O.B. Omotoso and T.A. Ayelotan	593-596
7	Correlation coefficient (r) and dry Matter degradability of some <i>Ficus</i> Species using <i>in sacco</i> technique	A.A. Njidda, B Bello and I. K. Al-Habib	597-600
8	<i>In situ</i> crude protein disappearance and fermentation characteristics of four leguminous browse species	A.A. Njidda, B Bello and S. O. Omotosho	601-604
9	Variation of haematological parameters in oestrus synchronization using fluorogestone acetate (FGA) intravaginal sponge in Sokoto red goat	F.U. Samuel, N.P Chiezey, J.O.O. Bale, T.K Bello, R. Hassan, F.S Maikaji M. Ibrahim, S.O Ereke, and H.J Magaji	605-608
10	Preliminary study on occurrence of polythene bags and other foreign bodies: related complication in sheep and goat associated with poor waste disposal in Damaturu town, Yobe state Nigeria	Yerima, J., Shinge, G. J and Jaji, I.M	609-611
11	The effects of deforestation on household food production in Aguata Agricultural zone of Anambra state, Nigeria.	T. N Nwankwo and O.C Anakebe-ogbu	612-615
12	The effect of feeding different levels of tiger	D.N. Onunkwo and M.C. Ugwuene	616-620

	nut (<i>Cyperus esculentus</i> L) seed meal on carcass and organ weights characteristics of japanese quails (<i>Coturnix coturnix japonica</i>)		
13	Haematological and serological characteristics of cockerels fed different levels of tiger nut (<i>Cyperus esculentus</i>) seed meal	D.N. Onunkwo and M.C. Ugwuene	621-625
14	The efficacy of teaser buck introduction and human chorionic gonadotropin (HCG) in the induction of ovulation to enhance receptivity and fertility in rabbits (<i>Oryctolagus cuniculus</i>) in Bauchi.	Nyam, P.P., Butswat, I.S.R, Naibi, S., and Kalla D J.U	626-628
15	Sensory evaluation of meat from red Sokoto goats fed graded levels of corn cob diets supplemented with cowpea husk	Y.M. Ishiaku, D.N. Tsadoand S. U. Oyibo	629-632
16	Intake and nutrient digestibility in sheep fed some semi-arid browse plants	Ibrahim, H. and Abbator F.	633-636

UNIVERSITY OF IBADAN LIBRARY

EFFECT OF TWO COOKING METHODS AND TEMPERATURE ON OXIDATION AND MICROBIOLOGICAL PROPERTIES OF BREAKFAST SAUSAGE

OLUSOLA, O.O, OSHIBANJO D.O, OLADIPUPO, C.O AND AREMU, R.O.

Meat Science Laboratory, Department of Animal Science, University of Ibadan, Ibadan.

ABSTRACT

Sausages were prepared from 65% meat, 20% lard, 3.5% binder, 2.01% curing salt, 1% sugar, 0.30% phosphate, 4% ice water, 2% dry spice, and 2.19 wet spices. A set of five samples were boiled in a water bath while another set were baked at temperatures of 80, 90, 100, 110 and 120 °C. The effect of cooking method and temperature was tested on oxidative and microbiological properties of breakfast sausage. The oxidative properties were evaluated using iodine value, acid value and thiobarbituric acid reactive substances (TBARS) assays. Three culture media were used to measure the microbial status of product using Nutrient Agar (NA) for total aerobic count, Potato Dextrose Agar (PDA) for yeast and mould count and Ethyl Methanesulfonate (EMS) for coliform bacteria count. Significant differences were observed for all the parameters measured at a significant level of 5%. Iodine value measures the level of unsaturated fatty acid, Iodine value ranged from 2.54 to 6.86 mg/g. Baking at 90°C gave the highest value, while boiling at 100°C and baking at 120°C had the lowest values. Acid value had boiling at 100°C giving the highest value and baking at 80°C giving the least. TBARS value showed that boiling at 120°C had the highest value, while boiling at 90°C gave the lowest value. Total aerobic count was high at 110°C for baking and boiling at 100°C. Total coliform bacteria count was high at boiling at 90°C. Fungi growth in the sausage was generally low, baking at 80°C had the highest count and least count was observed for boiling at 80°C and baking at 90°C. In conclusion, the oxidative and microbiological properties of breakfast sausage as influenced by cooking method and temperature showed the best cooking method and temperature interaction to be baking at 90°C and 100°C.

Key words: breakfast sausage, microbiological properties, oxidative rancidity, iodine value

INTRODUCTION

Oxidation of lipid fraction is one of the major causes of quality decrease during the shelf-life of sausage (Garcia and Astiasaran (2002). In processing technology the additive used in the dough formation and the poly unsaturated fatty acids of the lipid fraction are the cause of development of unpleasant odours and tastes and thus a decrease in the nutritional value of the product due to a lowering of polyunsaturated fatty acids content (Awod *et al.*, 1996). Livsmedelsverket (2004) reported that meat and meat products vary greatly in their fat content according to the animal species, age of the animal and part of the carcass used. Younthan *et al.* (1980) reported that rancidity increased with increasing storage time. Gada (2008) stated that unsaturated fatty acids are very prone to oxidation, even in meat where most of the fat is saturated as the cell membranes contain phospholipids.

As the main objective is to prevent microbial spoilage and food poisoning, several hurdles are used minimally to obtain the optimum combination to give good sensory qualities, safety and stability as well as savings of energy and money (Das & Radhakrishna, 2001; Grijspaardtink, 1994; Karthikeyan, Kumar, Anjaneyulu, & Rao, 2000). Shelf stable meat products could be processed by thermal processing which could be dry or moist cooking method in a sealed container or by adjusting hurdles such as pH, water activity (aw) and food preservatives (Kanatt, Chawla, Chander, & Bongirwar, 2002) and/or irradiation (Leistner, 2000; Leistner, Vukovic, & Dresel, 1980) and can be stored without refrigeration.

The aim of this study was to assess the influence of baking and boiling cooking methods and temperature on the oxidative and microbiological properties of breakfast sausage.

MATERIALS AND METHODS

Experimental Site: The study was carried out at the Meat Science laboratory of the Department of Animal Science, University of Ibadan.

Experimental Procedure and Treatments: The muscles used for preparation of sausage were the *Semitendinosus* and *Semimembranosus* muscles obtained from a freshly slaughtered bull from the slaughter house of the University of Ibadan. The meat was cleaned of fat and dirt, and chilled over the night. Meat was chopped into small bits before grinding. The back fat from pig was cleaned and frozen to solidify for easy grinding. The natural sausage casing used was the pig's intestine. It was washed by allowing water run through it. After thorough washing, the intestine was then soaked in brine solution, (9% NaCl) until ready for use. After grinding, salt and sugar solution were added to the meat emulsion so as to maintain the natural colour of the ground meat. The dry and wet spices were then added and properly mixed. The binder was added afterwards. Crushed ice was used to lower the temperature, further mixing was done on the emulsion until consistency was obtained. The sausage was then pushed into the casings using a stuffer. Sausages were linked using twines, weighed and packed into 20 different Ziploc bags and kept in the freezer. Table 1 shows the sausage formulation

Cooking method: Two cookery methods were used, boiling in a water bath, for moist heat cookery method and baking in an electric oven for dry heat cookery method.

Iodine Value and Acid Value: This was carried out according to IUPAC (1979) using titration technique against alkali (1 - 10 gm dissolved fat).

Thiobarbituric acid reactive substances: Thiobarbituric acid value (TBA) was estimated by modified methods of Buege and Aust (1978).

Microbial Analysis: Using the pour plate count method (Harrigan and Macanec, 1976). Three agar types were used on samples, Nutrient agar (NA), Potato Dextrose agar (PDA), and Ethyl methanesulfonate (EMS). NA was used to determine the total anaerobic count, PDA for fungi and mould count, and EMS for coliform bacteria.

RESULTS AND DISCUSSION

Microbial Analysis: Table 2 shows the microbial count for each cooking temperature and methods

for breakfast sausage. There were significant differences in the mean values of samples subjected to the three culture media. For coliform, the highest count was recorded for boiling at 90°C and the least by boiling at 110°C and baking at 120°C. For fungi, the highest count was recorded for boiling at 80°C followed by baking at 90°C, boiling at 80°C and 100°C, showed no significant difference in their means ($P>0.05$). For total anaerobic count, the highest count was recorded for baking at 110°C and the least by boiling at 100°C. Microbiological organisms could be pathogenic or spoilage organisms. These are dangerous to the health and safety of the consumers and also of economic importance to producers. It is for this reason that the microbial analysis was done to determine what spoilage organisms pose a threat to the producers as well as the consumers. Generally, it was observed that counts decreased with boiling method and this may be due to the moist heat penetrating the sausage more. This finding is in accordance with the results obtained by Sharma *et al.* (2005).

Oxidative properties: Table 2 shows the iodine and acid values for each cooking temperature and method for breakfast sausage. The iodine values showed that there were significant differences among all the mean values ($P<0.05$) with the 90°C baked sausage giving the highest iodine value followed by baking at 100°C and boiling at 80°C, the least was that subjected to boiling at 100°C and 120°C baked sausages. Iodine values are often used to determine the amount of unsaturation in fatty acids. Thus baking at 90°C which had the highest iodine value had a higher level of unsaturated fatty acids and this is safe for human health as too much saturated fatty acids could cause heart diseases. Also there was a significant difference among all mean values in the acid value determination ($P<0.05$). Boiling at 100°C gave the highest mean value, followed by baking at 120°C and the least mean value recorded by baking at 80°C. Acid value is a measure of the free fatty acids present in fats and oils and it is an indication of hydrolysis of triglycerides (Chemprime, 2010). In this study, boiling at 100°C had more of its triglycerides hydrolysed. Figure 1 shows the TBARS for each cooking temperature and method for breakfast sausage. There were significant differences ($P<0.05$) in the mean values of the

TBARS assay. Boiling at 80°C yielded the highest mean value and the least was recorded for boiling at 90°C. Oxidative rancidity (TBA value) is one of the major causes of decrease in quality during the shelf life of sausage. (Gracia and Astiasaran, 2002). It was observed that baking had higher TBARS value and this may be due to lower cooking loss recorded for baking – the dry heat cookery method.

CONCLUSION

From the study, it can be concluded that baking at 90°C and 100°C yielded the best results. The iodine and acid values of these samples showed that baking at these two temperatures gave high unsaturated fat levels which infers that sausages contained lower levels of saturated fats which are dangerous to health

REFERENCES

- Awod, E.E. & Diab, I.A. 1996. Major chemical constituents of beef buffalo and camels meat. *Veterinary medical*, Giza, vol, p. 49- 53.
- Das, H., & Radhakrishna, K. (2001). Preservation of mutton as ready-to eat curry by hurdle technology. *Journal of Food Science and Technology*, 38, 287–289.
- Gada, A. I. 2008. Physical and chemical properties of burgers manufactured with different levels of camel meat. M.Sc. Thesis, University of Khartoum.
- Garcia E, M., Ansareha, D. Astiasaran, L. 2002. Comparison of modified atmosphere packaging and Vacuum packaging for long period storage of dry – cured ham: Effects on colour, texture and microbiological quality. *Meat Science*, 67,57-63.
- Grijspaardtink, C. (1994). Food preservation by hurdle technology. *Food Technology*, 38, 28–31.
- IUPAC (1979): Standard Methods for the analysis of oils, fat and derivatives 6th ed. Oxford: pogrom on press
- Kanatt, S. R., Chawla, S. P., Chander, R., & Bongirwar, D. R. (2002). Shelf-stable and safe intermediate moisture meat products using hurdle technology. *Journal of Food Protection*, 65, 1628–1631.
- Karthikeyan, J., Kumar, S., Anjaneyulu, A. S. R., & Rao, K. H. (2000). Application of hurdle technology for the development of caprine keema and its stability at ambient temperature. *Meat Science*, 54, 9–15.
- Leistner, L. (2000). Basic aspects of food preservation by hurdle technology. *International Journal of Food Microbiology*, 55, 181–186.
- Leistner, L., & Gorris, L. G. M. (1995). Food preservation by hurdle technology. *Trends in Food Science and Technology*, 6, 41–46.
- Leistner, L., Vukovic, I., & Dresel, J. (1980). SSP: Meat products with minimal nitrite addition, sorbate, without refrigeration. In Proceedings of the 26th European meeting of meat research workers (pp. 230–233).
- Livsmedeles, V. 2004. Livmedelsda, Tabason. [http:// www.slv.se](http://www.slv.se).
- Younthan, M. T., Z. M. Marjan, and F. B. 1980. Oxidative rancidity in stored ground turkey and beef. *J. Food.Sci. Vol. 45: P. No: 274-275.*