

**EMERGING ISSUES IN SUSTAINABLE  
FOREST MANAGEMENT:  
EXPERIENCES AND LESSONS FOR NIGERIA**

Proceedings of the

**40<sup>th</sup>** Annual  
Conference

of the  
**Forestry Association of Nigeria**  
held in Lagos,  
Lagos State

12th - 16th March, 2018

*Edited by*  
**A. O. Akinwale**  
**V. A. J. Adekunle**  
**O. Y. Ogunsanwo**



**FAN**

FORESTRY ASSOCIATION OF NIGERIA

**Proceedings of the 40th Annual Conference  
of the Forestry Association of Nigeria  
Held in Lagos, Lagos State**


**12th – 16th March, 2018**

**© Forestry Association of Nigeria, 2018**

**All rights reserved.**

**No part of the proceedings may be reproduced without the permission of the  
author(s) and the editors.**

**ISBN: 978-978-31085-4-2**

**Printed by: Exotic Denzines Ltd  0803 501 3307**

# CONTENTS

Executive Council Members	iii
Presidents of the Forestry Association of Nigeria since inception	iv
Fellows of Forestry Association of Nigeria	v
Conference Planning Committee	vi
Local Organizing Committee	vi
Preface	xviii
President's Welcome Address	xxi
Keynote Address	

## Sub-Theme 1

- 1.1 Oni, P.I.**  
Lead Paper: State of Nigeria's Forests 1-27
- 1.2 Olorunnibe N. V. and Bisi Rodipe G.**  
Constraints to Planting of Indigenous tree Species in Nigeria: A Case Study of *Milicia excelsa* and *Khaya ivorensis* 28-37
- 1.3 Woghiren, A. I., Olatidoeye, O.R., Isienyi, N.C. and Taiwo, D.M.**  
Deforestation: Causes, Effects and Control Strategies in Nigeria 38-47
- 1.4 Chukwuemeka, O. D. and Ngwuli, C. P.**  
Forest as a Resource for Development in Nigeria 48-53
- 1.5 Adesegun, D.A., Oladoye, O.A. and Adesegun, E.A.**  
Plant Diversity Status of Olokemeji Forest Reserve, Ogun State, Nigeria 54-61
- 1.6 Babalola Folaranmi, D. and Onatunji Alex, B.**  
Assessment of Factors Responsible for Diploma Students' Decision to Study Forestry 62-68

## Sub-Theme 2

- 2.1 Iroko, O. A., Kazeem-Ibrahim, F., Odewale, M. A., Adewole, B. T. and Wahab, W. T.**  
Contributions of Urban Forestry to Environmental Sustainability in Nigeria 71-75
- 2.2 Ugege, B.H., Obadimu, O.O., Bolaji, K.A. and Tunde-Francis, A.A.**  
Estimating Recreational Value of Agodi Gardens and Park Ibadan Oyo State, Nigeria 76-83

## Contents

- 2.3 **Wakawa, L.D., Ibrahim, Y., Aminu, S.A and Adam, L.I.**  
Assessment of Tree Species Diversity in the Federal University, Gashua,  
Nigeria 84-89
- 2.4 **Opeyemi Olajide, and Egor B. Etigale**  
Population Ecology of Rainforest Trees of Food and Medicine in Oban Forest  
Reserve, Cross River State, Nigeria 90-97
- 2.5 **Gakenou, O. and Ogunjobi, K.M.**  
Reduced Impact Logging and its Implications for Sustainable Forest  
Management 98-103
- 2.6 **Oluwakayode, Michael Coker and Olaotan, Stephen Akinduro**  
Impacts of Hunting Pressure on Wildlife Conservation in Nigeria 104-118
- 2.7 **Kareem, A.A., Akinyemi, G.O, Sulaiman O.N. and Odewale, M.A.**  
Sustainable Management of Urban Forest, Challenges and Possible  
Solutions 119-124
- 2.8 **Etuk, I. M. and Attah, V. I.**  
Urban Forest Management: Prospects and Challenges in Contemporary  
Society 125-134
- 2.9 **Azeez, A.A., Akeredolu, O.A., Akomolede, L.A., Phillips, G.T.  
and Arabambi, V.I.**  
Identification of Threatened Indigenous Timber Species in Four Forest Reserves in  
Ondo State, Nigeria 135-141
- 2.10 **Akintan, C.I., Ogboru, R.O., Akintan, A.O. and Ajayi, O.K.**  
Effect of Three Planting Media on the Vegetative Propagation of *Bambusa Vulgaris*  
(Schrad. Ex J.C. Wendi) 142-147
- 2.11 **Isikhuemen, E. M., Ikponmwonba, O. S. and Ojo, I. O.**  
Effect of Understorey Shade on Seed Germination and Growth of Seedlings of Three  
Tropical Pioneer Trees 148-158
- 2.12 **Wahab, O. M, Aghimien, E. V and Arojojoye, J. T.**  
Distribution and Abundance of *Triplochiton scleroxylon* K. Schum in Gambari  
Forest Reserve 159-164
- Sub-Theme 3**
- 3.1 **Adekunle, V. A. J. and Akharume A. D.**  
**Lead Paper:** Emerging Trends in Forest Management and Ecological  
Modeling: Case Study of Height-Diameter Models for Indigenous Hardwood  
Species 167-189

## Contents

- 3.2 **Adebayo, J.O. and Ogunsanwo, O.Y.**  
Neighborhood Competition Index and Prediction of Radial Growth of *Gmelina Arborea* (Roxb.) Plantation of Federal College of Forestry Ibadan, Oyo State 190-197
- 3.3 **Nurudeen, T.A., Akinyemi, O.D., Odeleye, Sifon and Cheng, I.B.**  
Index Age for Estimating Site Index of *Gmelina arborea* (Roxb) Stands in Oluwa Forest Reserve, South Western Nigeria 198-205
- 3.4 **Falemara B.C., Ajayi, B., Kambai, C. and Ukanyirioha, C.**  
Durability Assessment of Cashew Nut Shell Liquid on *Bambusa vulgaris* Schrad in Timber Graveyard Test 206-213
- 3.5 **Fayiah, M., Musa K. S., Otesile, G. and Bin Chen**  
Comparative Study of the Regeneration Potential of *Kasewe* and *Taia* Riverine Forests, Moyamba District, Sierra Leone 214-228
- 3.6 **Ogana, F.N., Wali, M.D. and Osho, J.S.A.**  
Development of Generalized Johnson's  $S_{BB}$  Height-Diameter Model for the Eucalyptus Plantations in Afaka Forest Reserve, Nigeria 229-239
- 3.7 **Ohwo, O.A., Oluwadare, A.O. and Popoola, L.**  
A Review of Life Cycle Assessment (LCA) and its Applicability as a Policy Tool for Sustainable Development of the Wood-Based Product Industry 240-248
- 3.8 **Ezenwenyi, J. U., Chukwu, O. and Ezeano, C. I.**  
Modelling Crown Diameter and Canopy Cover Estimation for *Tectona grandis* Linn. F. Plantation in University of Ibadan, Nigeria 249-257
- Sub-Theme 4**
- 4.1 **Kabir, G.B., Adebayo, D.O., Apata, O.V., Olawale, O.O., and Adisa, A. S.**  
Establishing a Nexus Between Non Timber Forest Products, Human Health and Nutrition in the Tropics 261-269
- 4.2 **Oyewo, I.O., Falana, A.R., Adekunle, A.O., Oladipupo-Alade, E.O., Adesope, A.A.A.**  
Economics of Sheep and Goat Marketing in Akinyele Local Government Area of Oyo State 270-276
- 4.3 **Oguntoye, T. O., Bolaji-Olutunji, K.A., Adesope, A.A, and Obadimu, O.O.**  
Wood Fuel, Livelihoods and Poverty Reduction: Evidence from Sub-Saharan Africa 277-287

## Contents

- 4.4 **Akintan, A.O., Akintan, C.I., Olaleye, B.M. and Peters, A.A.**  
Marketing Analysis of Sawn-Timbers in Selected Markets in Odigbo  
Local Government Area, Ondo State **288-300**
- 4.5 **Sale, F.A. and Shaibu, U. M.**  
Sustainable Management and Effective Use of Medicinal Plant as  
Non-Timber Forest Products **301-306**
- 4.6 **Agbidye, F. S., Ishuwa, M. N. and Odeh, G. O.**  
Survey of Beekeeping Practice in Obi Local Government Area of  
Benue State, Nigeria **307-315**
- 4.7 **Emuemukoro, E.O., Musa, Kabiru, Suleiman, Y.D., Erhabor, T.A.1  
and Abdulmumin, M.K.**  
Socio-Economic Characteristics and Productivity of Cocoa Farmers  
in Emure Local Government Area of Ekiti State **316-322**
- 4.8 **Lawal, Muhammed Shittu**  
Profile and Management of Captive Animal Housing in Kano Zoological  
Garden **323-329**
- 4.9 **Popoola, O.J., Liasu, M.O., Ogunmola, N.O., Akanji, K.A. and Oladapo, O.S.**  
Effect of Agricultural Soil Amendment With NKP Fertilizer and Cow Dung  
Manure on Growth of Maize (*Zea mays*) **330-335**
- 4.10 **Olasupo O.O., Ekpo E.N., Nurudeen, T.A., Awotedu, B. F. and Salami, K.D.**  
Growth Performance of Oyster Mushroom (*Pleurotus sajor-caju* (Jax. Ex.))  
on Different Substrates **336-340**
- 4.11 **Okeowo, T.A., Adesina, J. M., Olalekan, I.D., Tiya miyu, S., Gbola  
and Adebayo, C.O.**  
Consumption Pattern of Edible Insects in Epe Local Government Area  
of Lagos State **341-350**
- 4.12 **Akeredolu, O.A., Azeez, A.A., Akomolede, L.A., Adetunji, A.S.,  
Ajayi, O.K., Akinola, O.A., and Abdulkadir, A.K.**  
*Peperomia pellucida* (L.) Kunth. and *Launaea Taraxacifolia* (Willd.) Amin Ex. C.  
Jeffrey: Under-Utilized Non-Timber Forest Products of Nutritional and  
Medicinal Importance **351-357**
- 4.13 **Jamala, G. Y. and Oyebamiji, N. A.**  
Preference and Palatability of Selected Native Trees Foliage as Fodder  
for West African Dwarf Goat **358-366**

## Contents

### Sub-Theme 5

- 5.1 **Omoniyi, T.E. and Fatoki, J.G.**  
The Role of Engineering in Sustainable Management of Forest Resources in Developing Countries 369-376
- 5.2 **Alaje, V.I., Alaje, M.A., Oyediji, O.F., Nola, M.O. and Omoayeana, E.J.**  
Growth and Development of Oil Bean (*Pentaclethra macrophylla Benth*) Seed: Prospects for Agroforestry Development in Nigeria 377-383
- 5.3 **Adelani, D.O., Aduradola, M.A., Ogunsanwo, J.A. and Bello, M.I.**  
Effect of Sources and Rates of Hormones on the Germination of African Star Apple (*Chrysophyllum albidum G. don*) Seeds 384-393
- 5.4 **Adelani, D.O., Ogunsanwo, J.A. and Adedire, O.O.**  
Effect of Sources and Periods of Hormo-Priming on the Germination of African (*Canarium Schweinfurthii*) Elemi Seeds 394-402
- 5.5 **Sadiku, N.A.**  
Flexural and Bond Shear Behaviour of Urea-Formaldehyde Glued Acetylated Bamboo 403-413
- 5.6 **Adefisan, O.O. and Tijani, S.O.**  
Strength and Sorption Properties of Mahogany (*Khaya Ivorensis*) and Teak (*Tectona grandis*) Wood Composites 414-421
- 5.7 **Bamgbade, B.J., Abubakar, H.O., Aderounmu, A.F. and Agbenu, D.O.**  
Development of Robust Archiving Software Developments Technology to Forestall Forest Woods Exploitation 422-428
- 5.8 **Falade, Oladele Fisayo**  
Determinant of Carbon Stabilization in Tropical Soils: A Review of Carbon Sequestration Potential of Soil Aggregate Fractions 429-437
- 5.9 **Aderounmu, A.F., Ojo, M.O., Okeleke, S.O. and Musa, F.B.**  
Potential of Bamboo Based Fertilization on Early Growth Performance of *Entandrophragma Angolense* (Welw.) C. DC. 438-445
- 5.10 **Bello, W.B., Adeyemo, Y.A., Rabi J.O., Omilabu, S.K. and Salami, T.B.**  
Effect of Sawdust Ash and NPK 15:15:15 on Growth and Yield of Maize (*Zea mays*) 446-451
- 5.11 **Raheem, W.K., Oladoyinbo, O.B., Olabimisi, A.D. and Olaniyan, S.G**  
Utilization of Information and Communication Technology Among Cassava Farmers in Saki West Local Government, Oyo State 452-459

## Contents

- 5.12 **Ogunsanwo, O.Y., Olajide, O.B., Adenaiya, A.O. and Adeoye, Y.B.**  
Technical Properties of Bamboo-Based Particle Board Bonded by *Anacardium occidentale* Latex 460-467
- 5.13 **Okon, K. E, Ubong Ime Udoakpan, Akpan, Mercy P.**  
Improvement of Physical Properties of Chinese Parasol Wood by Metal Bath Heat Treatment 468-478
- 5.14 **Sadiku, N.A., Bada, S.O., Oluyeye, A. O. and Ajayi, B.**  
Basic Working Stress for Naturally Grown Bamboo (*Bambusa vulgaris*) 479-490
- 5.15 **Akindele, S.O. and Adewunmi, T.M.**  
Academic Staff Strength in Forestry Programmes in Nigerian Universities 491-501

### Sub-Theme 6

- 6.1 **Azeez, Ismail O.**  
**Lead Paper: Integration of Gender and Youth Into Nigerian Forestry Policy and Law Instruments – Issues and Prospects for Sustainable Forest Management 505-516**
- 6.2 **Sobola, O. O., Oni, P. I., Adeyeye, S. M., Olusola, J. A.**  
Effect of Different Potting Mixtures on Germination and Seedling Survival of *Acacia seyal* Del. and *Acacia senegal* (L.) Willd. 517-527
- 6.3 **Olatidoye, O.R., Oyelowo, O.J., Okanlawon, T., Ayodele, A. and Taiwo, D.**  
Planning Forest Restoration: Bridging Science and Practice 528-536
- 6.4 **Amusa Tajudeen Okekunle**  
A Review of Forest Certification in Africa 537-545
- 6.5 **Lawal, Muhammed Shittu**  
Factors Against Women Adoption of Wildlife Extension Programme in Nigeria 546-552
- 6.6 **Saddiq Muhammad Galaudu**  
An Evaluation of Community Access to Land for Tree Propagation and its Sustainability Under World Bank Assisted Forestry in Project in Kano State Nigeria 553-563
- 6.7 **Uwaga, A. M., Kalu, O. A and Ngwuli, C. P.**  
Farmers' Perception and Adoption Of Improved Agroforestry Technologies in Abiriba, Ohafia LGA, Abia State, Nigeria 564-573

## Contents

- 6.8 **Gideon, I. K. and Udofia, S.I.**  
Assessment of Socio-Economic Values of *Costus afer* Ker Gawl in Itu Local Government Area of Akwa Ibom State, Nigeria 574-583
- Sub-Theme 7**
- 7.1 **Jimoh, S.O. and Aroso, O.**  
**Lead Paper:** Applications of Indigenous Knowledge in Sustainable Forest Management 587-597
- 7.2 **Bello, O. A.**  
Assessment of the Floral Composition of Osun State College of Education, Ila-Orangun for their *in-situ* Conservation, Sustainable Management and Use 598-604
- 7.3 **Olajire-Ajayi, B. L., Okeleke, S.O. and Omoyeni, K.O.**  
Effect of Organic Manure on the Growth and Fibre Characteristics of *Mansonia altissima* A. Chev Seedlings 605-613
- 7.4 **Ojelabi, O.K., Musa, F.B., Akinleye, F.O. and Oyewumi, R.V.**  
Effects of Different Organic Manure on the Growth of Seedlings of *Pterocarpuserinaceus Poir* 614-624
- 7.5 **Adeyemi, A.A., Onyiriagwu, I.M. and Ikwa, L.O.E.**  
Mapping Distribution of Some Locally-Important Food and Medicinal Tree Species in Okigwe Agricultural Zone, Imo State, Nigeria 625-640
- 7.6 **Abiola, J. K., Okon-Akan, O.A.,\* Okanlawon, F.B, Adegoke, O.A and Ibrahim, A. O.**  
Antifungal Effectiveness of *Cola nitida* and *Musanga cecropioides* Leave Extract on Selected Wood Species 641-647
- 7.7 **Olajuyigbe, O., Agboola, F. O. and Olorunnibe, V. N.**  
Potentials of Crude Extracts of *Erythrophleum suaveolens* for Controlling *Phytolymalata* Attack on *Milicia excelsa* (Welw C.C. Berg) Seedlings 648-654
- 7.8 **Lawal, Fatimah Olasubomi**  
Sacred Groves: A Traditional Way of Conserving Biodiversity in Southwest Nigeria 655-660
- 7.9 **Ogunyebi, A.L., Omoyajowo, K.O., Shodunmola, G.E. and Fingsi, T.S.**  
Survival Instinct and Conservation Strategies of Mona Monkey *Cercopithecus mona* in University of Lagos Community, Nigeria 661-669
- 7.10 **Ojo, M.O.**  
Comparative Effect of Vermicompost and *Gliricidiasepium* Jacq Leaf Powder on the Early Growth of *Nauclea diderrichii* (De wild) Merr. Seedlings 670-678

Sub-Theme 8

- 8.1 **Saleh, M.K., Oladele, O. N., Suleiman, R. A., Otiwa, G. and Yahaya, U.**  
Bioethanol Production Potential from *Eucalyptus citrodora* Bio Waste Using  
*Bacillus subtilis*, *Escherichia coli* and *Sacharomyces cerevisiae* 681-689
- 8.2 **Aluko, O. J., Osikabor, B., Oyewole, O. O. and Ogunwale, O. G.**  
Awareness on Adoption of Biogas Production by Rural Dwellers in Ayedire  
Local Government Area of Osun State, Nigeria 690-696
- 8.3 **Amonum, J.I. Tembe, E.T. and Labe, T.E.**  
Impact of Carbon Trading on Conservation of Forest Resources 697-709
- 8.4 **Omorodion, J. I. and Akinwole, A. O.**  
Potential Usage of Renewable Energy in Nigerian Aquaculture 710-717
- 8.5 **Ali, B., Saadun, N., Kamarudin B. N. and Alias M. A.**  
Analysis of Sustainable Fuelwood Production Strategies: The Way Forward  
for Enhancing Fuelwood Supply in Yobe State 718-731
- 8.6 **Larinde, S.L. and Erakhrumen, A.A.**  
Utilisation of *Gmelina arborea* Roxb. in the Nigerian Wood-Based Industry:  
A Case of Successful Inclusion of Former Lesser-Used Species 732-741

Sub-Theme 9

- 9.1 **Akinwole, A. Olusegun**  
**Lead Paper:** Forest-Water Nexus: A Relationship for Sustainable  
Development 745-760
- 9.2 **Kareem, O.K., Olanrewaju, A.N. Orisasona, O. and Olofintila, O. O.**  
Fish Diversity and Abundance in Ikere Gorge Reservoir, South-Western  
Nigeria 761-766
- 9.3 **Asinwa, I. O., Ekwugha, U. E., Kazeem-Ibrahim, F. and Agbeja, A. O.**  
Influence of Anthropogenic Activities on Potentials of Watershed  
in Nigeria 767-777
- 9.4 **Ogeh, Kesiena T. and Jimoh, Saka O.**  
*Taungya* Farming as a Sustainable Land Management Option in Iyiocha  
Stream Forest Reserve, Delta State, Nigeria 778-787
- 9.5 **Ojuwoni, A. A., Akinwole, A. O. and Faturoti, E. O.**  
Performance of *Clarias gariepinus* and *Oreochromis niloticus* Reared on  
Chicken By-Products 788-797

## Contents

- 9.6 **Adesegun, D. A. and Ogunbanwo, F. T.**  
Ecological Economics Assessment of Arakanga-Ogun River Wetlands,  
Ogun State, Southwest, Nigeria 798-806
- 9.7 **Olaifa, F.E. and Ewutanure, S. J.**  
Haematological Response of *Clarias gariepinus* (Burchell, 1822) Juveniles  
to Nickel Toxicity 807-817
- 9.8 **Omitoyin, S. A. and Oladeji, Adeola**  
Climate Variability, Adaptive and Coping Strategies Among Fish Farmers  
in Ibadan Metropolis 818-831
- 9.9 **Dambatta M.A., Umar A. F, Mubarak M. A., Shuibu, U. and Abdurashed, I**  
Length-Weight Relationship and Condition Factor of (*Oreochromis niloticus*)  
in Wudil River Kano State, Nigeria 832-838

### Sub-Theme 10

- 10.1 **Fasoro, O. A. and Ajewole, O. I.**  
Factors Affecting Private Forest Plantation Development in Nigeria 841-851
- 10.2 **Ayotunde-Ojo, M.O. and Olujobi, O. J.**  
Chemical Evaluation of African Walnut (*Plukenetia conophorum*) Fruit Used as  
Food Supplement 852-860

# DETERMINANT OF CARBON STABILIZATION IN TROPICAL SOILS: A REVIEW OF CARBON SEQUESTRATION POTENTIAL OF SOIL AGGREGATE FRACTIONS

Falade, Oladele Fisayo

Department of Forest Production and Products, University of Ibadan, Nigeria  
faladedele@yahoo.com

---

## Abstract

Soils contribute to global climate mitigation through sequestration of carbon. Soils that remain undisturbed for long period of time could be the best choice for carbon sequestration. Quality of organic matter, land management practices and land use types had been considered the major factors influencing accumulation and stabilization of carbon associated with soil aggregate fractions. This understanding had limited the efforts at tracking carbon accumulation and stabilization of various aggregate fractions. However, other factors are becoming relevant in the evaluation carbon stabilization potential of various soil aggregate fraction in different soil texture and types. Therefore these factors require detail description. Organic and inorganic carbon compounds contribute to the soil carbon stabilization and subsequently, enhance carbon sequestration. Understanding of the critical factors that control stabilization of carbon in soil aggregate fractions is limited. This limits the efforts on how to optimize carbon sequestration potential among soil aggregate fractions and soil types and consequently, one of the reasons for unabated evolve of greenhouse gases from soils to the atmosphere. Therefore, brief description of factors that influence and optimize the sequestration of carbon in tropical soils were reviewed. Hence, quantity and quality of organic matter, availability of basic cations; proportion of fine particle fraction in the soil; land management practices option; organic and inorganic carbon concentration and soil moisture content were identified as the major factors influencing the soil carbon stabilization in tropical soils. The processes involve in carbon stabilization of tropical soils could be classified into chemical and physical protecting mechanisms. Organic compounds derive from plant origin enhance soil particle aggregation while cations facilitate organo-mineral formation among soil fine particles. Surface area specificity is essential facilitator of organo-mineral formation among soil fine particles.

**Keywords:** Tropical soil; Soil aggregate fractions; Carbon sequestration; Soil carbon stabilization.

## Introduction

Forest soils are important stable pool for carbon storage and contribute immensely to global climate mitigation because they could remain undisturbed for long period of time. The carbon reservoir could be organic and inorganic carbon (Li et al., 2016) that is adsorbed on soil mineral fractions. Soil organic and inorganic carbon are important carbon reservoir in soils and are necessary for carbon sequestration but quantification of soil inorganic carbon are not adequately emphasized. Most times inorganic carbon

fraction is not considered in the estimation of soil carbon stock because it does not fluctuate frequently in the soil and sometimes, its proportion could be negligible when compared with organic carbon fraction. However, some organic compounds found in the soils contribute to the formation of organic carbon fraction of the soil and also, sometimes inorganic carbon fraction. Organic compounds that inhibit bacterial activity and mineralization in the soil enhance carbon stabilization within micro-aggregates in the soil profile. Also, organic compound contents of the soil can serve as binding agents in the formation of soil aggregates and structure.

Soils contribute to global climate mitigation through stabilization and sequestration of carbon. Quality organic matter, management practices and land use types had been considered as the major factors influencing accumulation and stabilization of carbon associated with soil aggregate fractions. This understanding had limited the efforts at tracking carbon accumulation and stabilization potential of various aggregate fractions. However, other factors are becoming relevant in the evaluation of carbon stabilization potential of various soil aggregate fractions in different soil textures and types. Therefore, these factors require detailed description. Furthermore, the identification of these factors and their roles give an insight into the adsorption mechanisms of carbon on various soil aggregate fractions. These factors can be categorized into chemical and physical processes. Hypotheses of this study include, whether quantity and quality of organic matter, basic cations, proportion of fine particle fraction, management practices, organic and inorganic carbon concentration and soil moisture content contribute significantly to the soil carbon stabilization and sequestration. The objective of the review is to determine factors that influence carbon stabilization in tropical soils with a view to understanding the carbon sequestration potential of tropical soils.

Soils that remain undisturbed for long periods of time could be the best choice for carbon sequestration. Hence, forest soils are an important stable pool for carbon in the terrestrial ecosystem. The relationship between land use and accumulation of soil carbon are difficult to predict among soil types and textures because of several interactive mechanisms. Also, the relationship between soil carbon and aggregate fractions is complex and not clearly understood because formation of organo-minerals is determined by different mechanisms. Organic and inorganic carbon contribute to the formation of soil carbon stabilization and subsequently, enhance carbon sequestration. However, most times inorganic carbon is not considered as part of carbon stock in many studies because it does not often fluctuate in the soil as the organic carbon. Thus, accurate estimation of soil carbon stock density and sequestration remain incomplete without soil inorganic carbon component.

Several organic compounds are found in the soil and they are from different sources and forms. Although most of the naturally occurring organic compounds in soils are of plant origin. Association of organic compound and clay mineral leads to accumulation of soil

carbon and subsequently, aggregation of these fractions leads to formation of micro-aggregates and macro-aggregates. The importance of organic compounds in micro-aggregates and macro-aggregates stability in tropical soils has not been adequately studied and elucidated. Some organic compounds improve while some disperse soil aggregates by different mechanisms. Understanding of the critical factors that control stabilization of carbon in soil aggregate fractions is limited. This limits the efforts on how to optimize carbon sequestration potential among soil aggregate fractions and soil types and consequently, one of the reasons for unregulated release of greenhouse gases from soils to the atmosphere. Therefore, brief description of factors that control and optimize the accumulation of organic compounds in tropical soils were reviewed.

### Quantity of organic matter

Many physical, chemical and biological properties of soil surface horizons depend largely on the soil organic matter content (Feller *et al.*, 1992). Soil organic matter content ranges from less than 0.2% in desert soils to above 80% in peat soils. In temperate region, soil organic matter ranges from 0.4 to 10.0% while in tropical regions it ranged from 3.0 to 4.0% and those of semi-arid area is 1.0 to 3.0% (Smith *et al.*, 2000). Post *et al.* (1990) reported that loss of soil carbon contributes significantly to atmospheric carbon dioxide level. The soil amelioration potentials of greenhouse gases has not been critically emphasized in the developing countries and soils can be a major source of CO<sub>2</sub>, CH<sub>4</sub> and N<sub>2</sub>O emission to the atmosphere. Conversely, soils can be purposefully managed to serve as effective sink.

The main source of soil organic carbon is plant dry matter and it could be incorporated into soil fraction through decomposition and humification of dry matter. Warm and humid climate with a long wet period which characterise tropical region enhance high net primary productivity through photosynthesis and consequently, it encourages soil organic matter decomposition and sequestration. A large proportion of the annual leaf litter decomposed within a year, usually between 2 to 5 months (Egunjobi and Onweluzo, 1979). Sausen *et al.* (2014) reported that soil carbon accumulation is largely dependent on net primary productivity. Tropical dry forest have 50-75% net primary productivity of humid forest because of the reduction in growth during the dry season (Murphy and Lugo, 1986). Therefore, soils of humid forest present opportunity to conserve or sequester carbon (Lugo and Brown, 1993 and Dixon *et al.*, 1994).

Factors that determine the formation of soil organic carbon include the quantity and quality of organic inputs to the soil while the breakdown is determined by the interactive of factors which determine the rate of oxidation and decomposition of the organic molecules (Anderson and Flanagan, 1989). Although tree biomass is stable and large sink for atmospheric carbon, there is uncertainty concerning the influence of their organic matter input on soil carbon stabilization. However, Wiesmeier *et al.* (2009) reported that soil carbon increases under hardwood and decrease under softwoods tree plantation. The

quality of organic matter input influence hydrophilic and hydrophobic nature of soil aggregates. Soil hydrophobicity is related to the formation of fulvic acid coatings around soil mineral particles. The dry fulvic acid coatings, which is a metabolic product of soil micro-organisms, repel water and create localized dry spots in soil (Tan, 2005).

Conversely, Oades (1984) reported that dispersion of clay particles from micro-aggregates is enhanced by adsorption of complex organic acids which increase the negative charges on clay minerals. Although, it can be made ineffective by polysaccharides of mucilages produced by fungi, bacteria and plant roots. Also, adsorption of hydrophilic organic compounds by soil particles has received increasing attention but the complexity of the numerous processes involve and their dynamics are still poorly understood. Tan (2005) believed that most of these processes will require ionization and protonation of organic compounds so as to facilitate the adsorption on soil mineral particles. Morley *et al.*, (2005) reported that both water repellent and wettable soil samples contained hydrophobic compounds but water repellent soils contained polar compounds of high relative molecular mass. Fatty acids and esters, plant and cuticular waxes, (Horne and McIntosh, 2000; Morley *et al.*, 2005) plant root exudates were implicated in previous studies, though chemical characterisation of these compounds have yet to be achieved and consequently the molecular basis of water repellency is unclear.

Organic compounds enhance aggregate stabilization and are vital for stable carbon storage and thus has not been emphasized. Organic carbon stabilization involves the protection and preservation of soil carbon in the soil aggregates (Hontoria *et al.*, 2016). Soil organic compounds improve aggregate stability of different fractions by different mechanisms. Soil aggregates are developed from association of soil organic matter and soil mineral particles (Mann *et al.*, 2016). Micro-aggregates and macro-aggregates are distinguished by their size and most times, stabilization of organic carbon takes place within the micro-aggregates.

Previous studies indicated that topsoil determine the soil carbon stabilization (Guo *et al.*, 2016; Yang *et al.*, 2008). However, recent studies indicated that subsoils carbon is also important reservoir for greenhouse gases but the factors controlling their accumulation may be different (Zhao, 2014; Bernal *et al.*, 2016). Soil carbon stabilization is an indicator of wide range of soil properties and also, it can be influenced by many factors. Sometimes there could be soil carbon stratification but no net accumulation in undisturbed soils. It show that there are several factors responsible for rate and site of organic carbon stabilization among the soil particle size fractions.

### **Quality of organic matter**

Despite the role of net primary productivity, some tree species seem to be less effective in biomass accumulation than the other tree species. Consequently, the rate of soil carbon

accumulation could be influenced by chemical composition of dry matter of tree species grown on soils. Some fractions of soil organic matter may be labile and others recalcitrant depending on the lignin and volatile content of the organic matter. Therefore, detail understanding on response of soil carbon to change in plantation species is limited. Although several mechanisms have been claimed to be responsible but few studies provide objective evidence for the processes that occur. Therefore, information on the impact of afforestation on properties of soil organic matter required further investigation. Also, despite considerable efforts to understand the effects of afforestation on the dynamics of carbon in the soil, detail understanding of factors influencing its accumulation is yet to be resolved. These have made evaluation of factors that determine carbon distribution and stratification in soil profile difficult especially in weathered soils of Southwestern Nigeria.

Consequently, information on the implication of indigenous trees for afforestation on quality of soil organic matter are scarce because of the lack of long-term investigation (Li *et al.*, 2016). One of the effective methods to improve soil carbon sequestration is the planting of suitable forest tree species, though there is limited knowledge on these choice species (Moghiseh *et al.*, 2013). The planting of choice species can lead to significant change in soil organic carbon. The capacity of indigenous tree species for optimum accumulation of soil carbon have not been fully investigated, although Ayoubi *et al.* (2011) reported higher soil organic carbon for coniferous forest species than those of deciduous tree species.

The distribution of organic carbon among soil aggregates varied among soil types, soil texture and management practices. Young (1976) reported that organic matter content of top soil in the forest may be considered low if it below 3.0% and 2.0% for soils with sandy-clay to clay and sandy-clay-loam to sandy loam, respectively. Organic matter content of soil in a locality fluctuates between relatively narrow limits and influenced by textural characteristic of the soil. Therefore, mechanisms and binding agents that are responsible for carbon stabilization of different soil aggregates and textural characteristics are not the same. Soil organic compounds influence aggregate stabilization of different sizes by different mechanisms. Agboola and Ayodele (1987) considered organic matter ranged between 0.0 and 3.0% as low, 3.4 and 4.8% as medium and above 4.8% organic matter as high for tropical forest soils.

#### **Proportion of Fine Particle in the Soil**

There is inconsistent reports on the rate of accumulation of different soil particle sizes. Yang *et al.* (2016) reported that organic carbon storage of silt and clay is significantly greater than sand particles. He claimed that organic carbon storage of a land use type is determined by its proportion of fine particles. This is because soil organic matter of clay is considered to be more sensitive to changes in climate than sand fractions (Li *et al.*, 2015). It is a common assumption that sand-size particles starts to accumulate organic

carbon only after the silt and clay particles are exceeded. Other studies shown that clay minerals with rough edges surfaces contribute more to organic carbon storage and therefore, organic carbon accumulation in soil depend partially on specific surface area of soil clay minerals (Mayer and Xing, 2001). Also, studies have shown that accumulation of soil organic carbon storage occurred through interaction with soil mineral surfaces and cations (Sausen *et al.*, 2014; Chevallier *et al.*, 2010). This implies that organic carbon accumulation in soils may be primarily controlled by organic carbon associated with silt and clay particles. Clay and silt have greater surface area than sand fraction. Usually, the adsorption of water, nutrients and attraction for each other are all surface phenomena hence clay has greater adsorptive capacities than silt and sand fractions. Therefore, the finer the texture of a soil, the greater the effective surface area exposed by its particles and the more effective in the accumulation of soil carbon.

Sausen *et al.* (2014) found that the availability of calcium and nitrogen influence carbon storage in soil. The stability of macro-aggregates is also enhanced by multivalent cations which acts as bridges between organic colloids and clay minerals. Therefore, detail understanding of organic carbon accumulation in different soil size fractions require more investigation.

### **Management Practices**

However, other studies have shown that soil organic carbon on silt and clay fractions could be affected by management practices. Also, Jordan *et al.* (2014) demonstrated that soil organic carbon concentration in the interior layer of the aggregates was higher in mulched soils than conventionally tilled soils. Therefore, management practices can be used to maintain, restore and enhance quantity of carbon stored in forest soils. Park and Smucker (2005) investigated the spatial distributions of carbon and nitrogen mineralization within the macro-aggregates of silt clay loam soil and reported that exteriors of aggregates contained more labile carbon with greater mineralization rates than interiors in conventional and no tillage system. The study also found that total carbon increase approximately 1.6 fold by changing the management system from conventional tillage to no tillage for a period of 36 years.

### **Organic carbon and water content**

Manns *et al.* (2016) observed that correlation between soil organic carbon and aggregate sizes is a reflection of the amount of water that soil aggregates can hold. Therefore, water holding capacity of soil influence soil organic carbon in all soil textural classes. Further studies revealed that accumulation of soil carbon on fine aggregates that remain moistened for most times of the year has high potential for carbon stabilization (Burmam *et al.*, 2007). This suggest that moisture level above water holding capacity of soil would reduce carbon mineralization and enhance carbon stabilization in the soil.

### Organic and Inorganic Carbon Concentration in the Soil

Most studies on carbon sequestration have been focused on the surface horizons of soil but inorganic carbon have rarely been considered. The effects of soil particle fraction on accumulation of soil organic carbon, soil inorganic carbon and soil total carbon along soil depths have rarely considered. Raheb *et al.* (2017) study the effect of arid, semi-arid and dry sub-humid climates on soil organic, inorganic and total carbon and observed a high soil inorganic and low organic carbon contents in the soil of arid region of Northwest of Iran while contrary result was obtained in soils of humid forest.

### Conclusion

The different factors involve in carbon stabilization of soil aggregate fractions were elucidated and classified into chemical and physical protecting mechanisms. Chemical protecting mechanisms include cations on organo-mineral complex, organic and inorganic carbon concentration and soil moisture content while physical protecting mechanisms include quantity and quality of organic matter, proportion of fine particle in the soil, land management practices. Factors influencing carbon sequestration involve interactive mechanisms. Therefore, it is difficult to evaluate the effect of a mechanism in stabilization process. Organic compounds derive from plant origin enhance soil particle aggregation while cations interaction enhance organo-mineral formation among soil fine particles. Surface area specificity are essential facilitator of organo-mineral formation among soil fine particles.

### References

- Agboola, A.A. and Ayodele, O. 1987. Nutrient deficiency survey and maize in western Nigeria. *Nigeria Journal of Science* 10(1): 1-18.
- Anderson, J.M. and Flanagan, P.W. 1989. Biological processes regulating organic matter dynamics in tropical soils. In: D.C. Coleman, J. M., Oades and G. Uehara (eds.) *Dynamics of Soil Organic Matter in Tropical Ecosystem*. University of Hawaii Press. Honolulu, pp. 335-347.
- Ayoubi, S., Khormali, F., Sahrawa, K. L. and Rodrigues de Lima, A. C. 2011. Assessing impacts of land use change on soil quality indicator in a Loessial in Golestan Province, Iran. *Journal of Agriculture and Science Technology*, 13: 727-742.
- Bachmann, J., Guggenberger, G., Baumgartl, T., Ellerbrock, R. H., Umanek, E., Goebel, M. O., Kaiser, K., Hurn, R. and Fisher, W. 2008. Physical carbon sequestration mechanism under special consideration of soil wettability. *Journal of Plant Nutr. Soil Science*, 171:14-36.
- Bernal, B., Mckinley, D. C., Hungate, B. A., White, P. M., Mozdzer, T. J. and Megonigal, J. P. 2016. Limits to soil carbon stability: Deep, ancient soil carbon decomposition stimulated by new labile organic inputs. *Soil Biology and Biochemistry*, 98: 85-94.

- Chevallier, T., Woignier, T., Toucet, J. and Blanchart, I. 2010. Organic carbon stabilization in the fractal pore structure of Andosols. *Geoderma*. Doi: 10.1016/j.geoderma.2010.07.010.
- Dixon, R. K., Brown, S., Hough, R. A., Solomon, A. M., Trexler, M. C. and Wisniewski, J. 1994. Carbon pool and flux of global forest ecosystems. *Science*, 263: 185-190.
- Egunjobi, J. K. and Onweluzo, S. K. 1979. Litter fall, mineral turnover and litter accumulation in *Pinus caribaea* L. stands in Ibadan, Nigeria. *Biotropical*.
- Feller, C., Brossard, M. and Frossard, E. 1992. Characterization and dynamics of organic matter in low activity clay soils in West Africa. In: H. Tiessen and E. Frossard (eds.) *Phosphorus Cycles in Terrestrial and Aquatic Ecosystems*, Proceedings of SCOPE/UNEP Regional Workshop, Nairobi Kenya. March 1991, pp. 61-64.
- Guo, Y., Wang, X., Li, X., Wang, J., Xu, M. and Li, D. 2016. Dynamics of soil organic and inorganic carbon in the cropland of Upper Yellow River Delta, China. *Scientific Reports*, 6:3605 doi: 10.1038/Srep36105
- Hontoria, C., Gomez-Paccard, C., Mariscal-Sancho, I., Benito, M., Perez, J. and Espejo, R. 2016. Aggregate size distribution and associated organic carbon and N under different tillage systems and Ca-amendment in a degraded Ultisol. *Soil and Tillage Research*, 160: 42-52.
- Horne, D. J. and McIntosh, J. C. 2000. Hydrophobic compounds in sands in New Zealand – extraction, characterization and proposed mechanisms for repellency expression. *Journal of Hydrology*, 231
- Jordan, A., Garcia-Maoreno, J., Gordillo-Rivero, A. J., Zavala, L. M. and Cerda, A. 2014. Organic carbon, water repellency and soil stability to slakin under different crops and managements: a case study at aggregate and intra-aggregate scales. *Soil Discuss*, 1: 295-325.
- Li, C., Li, Q., Zhao, L., Ge, S., Chen, D., Don, Q. and Zhao, X. 2016. Land-use effects on organic and inorganic carbon patterns in the topsoil around Qinghai Lake basin, Qinghai-Tibetan Plateau. *Catena*, 147: 345-355.
- Li, Y., Zhao, X., Wang, S., Zhang, F., Lian, J., Huang, W. and Mao, W. 2015. Carbon accumulation in the bulk soil and different soil fractions during the rehabilitation of desertified grassland in Horgin Sandy Land, Northern China. *Polish J. Ecology*, 63(1): 88-101.
- Lugo, A. and Brown, S. 1993. Management of tropical soils as sinks or sources of atmospheric carbon. *Plant and Soil*, 149: 27-41.
- Manns, H.R., Parkin, G.W. and Martin, R.C. 2016. Evidence of a union between organic carbon and water content in soil. *Can. J. Soil Science*, 96: 305-316.
- Mayer, L. M. and Xing, B. 2001. Organic matter-surface area relationships in acid soils. *Soil Science Society of America Journal*, 65: 250-258.
- Moghiseh, E., Heidari, A. and Ghannadi, M. 2013. Impacts of deforestation on organic carbon storage and carbon dioxide emission. *Soil Environ.*, 32(1): 01-13.

- Morley, C. P., Mainwaring, K. A., Doerr, S. H., Douglas, P, Llewellyn, C. T. and Dekker, L. W. 2005. Organic compounds at different depths in a sandy soil and their role in water repellency. *Australian Journal of Soil Research*, 43: 239-249.
- Murphy, P. G. and Lugo, A. E. 1986. Ecology of tropical dry forest. *Annual Review of Ecology and Systematics*, 17: 67-88.
- Oades, J. M. 1984. Soil organic matter and structural stability: mechanism and implications for management. *Plant and Soil*, 76(1-3): 319-337.
- Park, E. and Smucker, A. J. M. 2005. Dynamics of carbon sequestered in concentric layers of soil macro aggregates. *Korean Journal of Ecology*, 28(4): 181-188.
- Post, W. M. Theng, T. H., Emmanuels, W. R., King, A. W., Dale, V. H. and De Angels, D. L. 1990. The global carbon cycle. *American Scientist*, 78: 310-328.
- Raheb, A., Heidari, A. and Mahmoodi, S. 2017. Organic and inorganic carbon storage in soils along an arid to dry sub-humid climosequence in northwest of Iran. *Catena*, 153: 66-74.
- Sausen, T. L., Schefer, G. F. P., Tomazi, M., Santos, L. S., Bayer, C. and Rosa, L. M. G. 2014. Clay content drives carbon stocks in soils under a plantation of *Eucalyptus saligna* Labill. In Southern Brazil.
- Smith, J.L., Robert, I. P., Bezdicsek, I. and Lynch, J. P. 2000. Soil organic matter dynamics and crop residue Management. In: F.B. Metting 1993. Soil Microbial Ecology: Application in Agriculture and Environment Management. Marcel Dekker, Inc. N.Y. 65pp.
- Tan, K. H. 2005. Principles of soil chemistry. Third Edition. Marcel Dekker, Incorporation, New York, 521p.
- Wiesmeier, M., Dick, D. P., Rumpel, C., Dalmolin, R. S. D., Hilscher, A. and Knicker, H. 2009. Depletion of soil organic carbon and nitrogen under *Pinustaeda* plantations in Southern Brazilian grasslands (Campos). *European Journal of Soil Science*, 60: 347-359.
- Yang, X. M., Drury, C. F., Reynolds, W. D. and Yang, J. Y. 2016. How do changes in bulk soil organic carbon content affect carbon concentrations in individual soil particle fractions? *Scientific Reports*, 6: 27173 DOI:10.1038/srep27173
- Yang, X. M., Drury, C. F., Reynold, W.D. and Tan, C. S. 2008. Impacts of log-term and recently imposed tillage pracices on the vertical distribution of soil organic carbon. *Soil and Tillage Research*, 100:120-124.
- Young, A. 1976. Tropical soils and soil survey. Cambridgde University Press. Cambridge, 468pp.
- Zhao, F. Z., Han, X. H., Yang, G. H., Feng, Y. Z., and Ren, G. X. 2014. Soil structure and carbon distribution in subsoil affected by vegetation restoration. *Plant Soil Environ.*, 60(1): 21-24.